



# Water Detection Sensor Point Sensor

## WPS/WCS

Nov.14



### Features

- More than one WPS can be connected to a WDMN
- Detect water leaks underr floors or isolated plant rooms

### Technical Data

<b>Housing</b>	ABS
<b>Dimension</b>	58x58x31mm
<b>Probes</b>	Stainless Steel 13x13mm
<b>Cable length</b>	2m

### Technical Overview

The WPS point sensor is designed to detect water leaks at localised points.

The WPS sensor must be used with WDMN and should not be directly connected to a BMS controller.

As the cable excitation used is an isolated AC signal which ensures the detector cable will not be subject to oxidation or erosion over time, avoiding the degradation problems associated with DC-systems.

### WCS

Material	PVC Twisted pair with stainless steel sensing elements
Dimensions	3.5mm dia.
Leader cable length	3m

### WPS

Housing:	
Material	ABS
Dimensions	58 x 58 x 31mm
Probes:	
Material	Stainless steel
Dimensions	13 x 3mm dia.
Leader cable length	2m

Sensing Cable Length (add type to above code)

<b>-2M</b>	2 meters
<b>-5M</b>	5 meters
<b>-10M</b>	10 meters
<b>-15M</b>	15 meters
<b>-20M</b>	20meters
<b>-25M</b>	25 meters